

SEED COATING MICROBIAL INOCULANT

Vetch & Fava beans - Starter

Beneficial seed coating bacteria	1,0 %
Beneficial microbial population	2×10^9 cfu*/g
Inert pasteurized materials	99,0 %

(*cfu: colony forming units)

Vetch & Fava beans - Starter is applied on the vetch and fava bean seeds prior to sowing for the beneficial bacteria to initially establish themselves on the seeds and afterwards the plants' roots. The included strains of bacteria in **Vetch & Fava beans - Starter** are essential for cultivating vetch and fava beans as they:

- Increase seed germination throughout the crop's duration
- Stimulate the awakening of dormant seeds
- Increase yield
- Promote the root system's development
- Promote the plants' development

APPLICATION METHOD: **Vetch & Fava beans - Starter** is applied on the vetch and fava bean seeds by dusting and mixing. It is important that **Vetch & Fava beans - Starter** is dispersed as uniformly as possible on the seeds to achieve total seed coating.

APPLICATION RATES: 1 Kg is capable of coating 200-230 Kg of vetch seeds or/and 150-220 Kg of fava bean seeds depending on the cultivar.

Notes: Emptying the content must be done diligently for the powder to detach itself completely from the bag's walls so that the full microbial load of the product may be used. Apply the whole content of the bag within 24 hours of opening it.

COMPATIBILITY: It can be combined with most seed treating fungicides. It cannot be combined with bactericides and soil disinfectants.

STORAGE CONDITIONS: The product must be stored in room conditions (15-20 °C). Keep it away from direct sunlight as well as any source of heat. Empty envelopes must not be reused.

PRECAUTIONS: It is not harmful for humans and animals. If it falls on your skin or clothes, wash well your skin with soap and water. If it falls in your eyes wash off with plenty of water. If the irritation persists, seek medical help.

KEEP OUT OF REACH OF CHILDREN

SHELF LIFE: One (1) year from the displayed manufacture date of the product.



Net Content

1 kg

Produced by



1 Ermou & Theotokopoulou str.
Metamorphosis, Greece

Tel. +30 210 284 5891 Fax. +30 210 281 7971,
Web Site: www.humofert.gr E-mail: info@humofert.gr

MICROBIAL INOCULANT IN LIQUID FORM

Vetch & Fava beans - Starter fluid

Beneficial seed coating bacteria.....1,0 %
Beneficial microbial population2 x 10⁹ cfu*/ml
Inert pasteurized materials99,0 %

(*cfu: colony forming units)

- Increases seed germination
- Stimulates the awakening of dormant seeds
- Promotes plants' development throughout the crop's duration
- Increases yield
- Promotes the root system's development

Produced by

HUMOFERT



Net Content

1 L

1 Ermou & Theotokopoulou str.
Metamorphosis, Greece
Tel. +30 210 284 5891 Fax. +30 210 281 7971,
Web Site: www.humofert.gr E-mail: info@humofert.gr



ET.003.375 - Ver. 22.1 EN 0422_front

MICROBIAL INOCULANT IN LIQUID FORM

Vetch & Fava beans - Starter fluid

Vetch & Fava beans - Starter fluid is applied on vetch and fava bean seeds prior to sowing for the beneficial bacteria to initially establish themselves on the seeds and afterwards the vetch and fava bean roots.

APPLICATION METHOD: *Vetch & fava beans -Starter fluid* is applied to vetch and fava bean seeds by spraying or immersing them, after it has been diluted in a proper quantity of water to achieve uniform and complete wetting of the seeds. It is important that **Vetch & Fava beans - Starter fluid** is applied as uniformly as possible on the seeds to achieve total seed coating.

APPLICATION RATES: 1 L is capable of coating 200-230 Kg of vetch seeds or/and 150-220 Kg of fava bean seeds depending on the cultivar.

Notes: Emptying the content must be done diligently for the full microbial load of the product to be used. During treating each

batch of seeds the whole solution must be used and be absorbed fully by the seeds before treating the next batch.

COMPATIBILITY: It can be combined with most seed treating fungicides. It cannot be combined with bactericides and soil disinfectants.

STORAGE CONDITIONS: The product must be stored in room conditions (15-20 °C). Keep it away from direct sunlight as well as any source of heat. Empty containers must not be reused.

PRECAUTIONS: It is not harmful for humans and animals. If it falls on your skin or clothes, wash well your skin with soap and water. If it falls in your eyes wash off with plenty of water. If the irritation persists, seek medical help. **KEEP OUT OF REACH OF CHILDREN**

SHELF LIFE: One (1) year from the displayed product's manufacture date.

SHAKE WELL BEFORE EACH USE

MICROBIAL INOCULANT IN LIQUID FORM

Vetch & Fava beans - Starter **+** plus fluid

Beneficial seed coating bacteria.....	1,0 %
Beneficial microbial population	2×10^9 cfu*/ml
Inert pasteurized materials	99,0 %

(*cfu: colony forming units)

- Increases seed germination
- Stimulates the awakening of dormant seeds
- Promotes plants' development throughout the crop's duration
- Increases yield
- Promotes the root system's development

Produced by

HUMOFERT



Net Content

1 L

1 Ermou & Theotokopoulou str.

Metamorphosis, Greece

Tel. +30 210 284 5891 Fax. +30 210 281 7971,

Web Site: www.humofert.gr E-mail: info@humofert.gr



MICROBIAL INOCULANT IN LIQUID FORM

Vetch & Fava beans - Starter plus fluid

Vetch & Fava beans - Starter fluid plus is applied on vetch and fava bean seeds prior to sowing for the beneficial bacteria to initially establish themselves on the seeds and afterwards the vetch and fava bean roots.

APPLICATION METHOD: **Vetch & fava beans - Starter fluid plus** is applied to vetch and fava bean seeds by spraying or immersing them, after it has been diluted in a proper quantity of water to achieve uniform and complete wetting of the seeds. It is important that **Vetch & Fava beans - Starter fluid plus** is applied as uniformly as possible on the seeds to achieve total seed coating.

APPLICATION RATES: 1 L is capable of coating 200-230 Kg of vetch seeds or/and 150-220 Kg of fava bean seeds depending on the cultivar.

Notes: *Emptying the content must be done diligently for the full microbial load of the product to be used. During treating each*

batch of seeds the whole solution must be used and be absorbed fully by the seeds before treating the next batch.

COMPATIBILITY: It can be combined with most seed treating fungicides. It cannot be combined with bactericides and soil disinfectants.

STORAGE CONDITIONS: The product must be stored in room conditions (15-20 °C). Keep it away from direct sunlight as well as any source of heat. Empty containers must not be reused.

PRECAUTIONS: It is not harmful for humans and animals. If it falls on your skin or clothes, wash well your skin with soap and water. If it falls in your eyes wash off with plenty of water. If the irritation persists, seek medical help.

KEEP OUT OF REACH OF CHILDREN

SHELF LIFE: One (1) year from the displayed product's manufacture date.

SHAKE WELL BEFORE EACH USE

SEED COATING MICROBIAL INOCULANT

Vetch & Fava beans - Starter plus

Beneficial seed coating bacteria	1,0 %
Beneficial microbial population	2×10^9 cfu*/g
Inert pasteurized materials	99,0 %

(*cfu: colony forming units)

Vetch & Fava beans - Starter is applied on the vetch and fava bean seeds prior to sowing for the beneficial bacteria to initially establish themselves on the seeds and afterwards the plants' roots. The included strains of bacteria in **Vetch & Fava beans - Starter** are essential for cultivating vetch and fava beans as they:

- Increase seed germination throughout the crop's duration
- Stimulate the awakening of dormant seeds
- Increase yield
- Promote the root system's development
- Promote the plants' development

APPLICATION METHOD: Vetch & Fava beans -

Starter plus is applied on the vetch and fava bean seeds by dusting and mixing. It is important that

Vetch & Fava beans - Starter plus is dispersed as uniformly as possible on the seeds to achieve total seed coating.

APPLICATION RATES: 1 Kg is capable of coating 200-230 Kg of vetch seeds or/and 150-220 Kg of fava bean seeds depending on the cultivar.

Notes: Emptying the content must be done diligently for the powder to detach itself completely from the bag's walls so that the full microbial load of the product may be used. Apply the whole content of the

bag within 24 hours of opening it.

COMPATIBILITY: It can be combined with most seed treating fungicides. It cannot be combined with bactericides and soil disinfectants.

STORAGE CONDITIONS: The product must be stored in room conditions (15-20 °C). Keep it away from direct sunlight as well as any source of heat. Empty envelopes must not be reused.

PRECAUTIONS: It is not harmful for humans and animals. If it falls on your skin or clothes, wash well your skin with soap and water. If it falls in your eyes wash off with plenty of water. If the irritation persists, seek medical help.

KEEP OUT OF REACH OF CHILDREN

SHELF LIFE: One (1) year from the displayed manufacture date of the product.

Produced by

HUMOFERT



1 Ermou & Theotokopoulou str.
Metamorphosis, Greece

Tel. +30 210 284 5891 Fax. +30 210 281 7971,
Web Site: www.humofert.gr E-mail: info@humofert.gr



5 212024 519184

Net Content

1 kg